

Naziv artikla	JM	Zbroj od Stanje
CUEV, BEŠAVNA, ASME B36.19, AISI 304, 5" SCH 40S, fi 141,3 X 6,55	M	2,74
CUEV, BEŠAVNA, ASME B36.19, AISI 316/316L, 1" SCH 10S, fi 33,4 X 2,77	M	27,48
CUEV, BEŠAVNA, ASME B36.19, AISI 316/316L, 1"1/2 SCH 10S, fi 48,3 X 2,77	M	14,45
CUEV, BEŠAVNA, ASME B36.19, AISI 316/316L, 1"1/2 SCH 40S, fi 48,3 X 3,68	M	5,78
CUEV, BEŠAVNA, ASME B36.19, AISI 316/316L, 1"1/4 SCH 10S, fi 42,2 X 2,77	M	11,40
CUEV, BEŠAVNA, ASME B36.19, AISI 316/316L, 3/8" SCH 10S, fi 17,2 X 1,65	M	5,00
CUEV, BEŠAVNA, EN 10216-5, AISI 316/316L, fi 15 X 2,0	M	2,00
CUEV, BEŠAVNA, EN 10216-5, AISI 316/316L, fi 50 X 5,0	M	2,35
CUEV, DEBELOSTIJENA, EN 10297-2, AISI 304, fi 50 / fi 36	KG	20,16
CUEV, DEBELOSTIJENA, EN 10297-2, AISI 316/316L, fi 50 / fi 25	KG	18,76
CUEV, DEBELOSTIJENA, EN 10297-2, AISI 316/316L, fi 56 / fi 36	KG	9,96
CUEV, DEBELOSTIJENA, EN 10297-2, AISI 316/316L, fi 56 / fi 40	KG	14,04
CUEV, HF, BRUŠENA Gr.320, EN 10296-2, AISI 304, fi 16 X 2,0	M	72,00
CUEV, HF, BRUŠENA Gr.320, EN 10296-2, AISI 304, fi 48,3 X 3,0	M	6,00
CUEV, KVADRATNA, BRUŠENA Gr.320, EN 10219-2, AISI 304, 25 X 25 X 1,5	M	6,00
CUEV, KVADRATNA, BRUŠENA Gr.320, EN 10219-2, AISI 304, 80 X 80 X 3,0	M	2,00
CUEV, KVADRATNA, EN 10219-2, AISI 304, 60 X 60 X 1,5	M	3,00
CUEV, KVADRATNA, EN 10219-2, AISI 316/316L, 100 X 100 X 5,0	M	5,50
CUEV, KVADRATNA, EN 10219-2, AISI 316/316L, 200 X 200 X 5,0	M	2,00
CUEV, KVADRATNA, EN 10219-2, AISI 316/316L, 25 X 25 X 2,0	M	4,00
CUEV, KVADRATNA, EN 10219-2, AISI 316/316L, 50 X 50 X 2,0	M	3,00
CUEV, KVADRATNA, EN 10219-2, AISI 316/316L, 60 X 60 X 2,0	M	3,00
CUEV, KVADRATNA, POL, EN 10219-2, AISI 304, 20 X 20 X 1,5	M	318,00
CUEV, KVADRATNA, POL, EN 10219-2, AISI 304, 25 X 25 X 1,5	M	57,50
CUEV, KVADRATNA, POL, EN 10219-2, AISI 304, 30 X 30 X 1,5	M	160,00
CUEV, KVADRATNA, POL, EN 10219-2, AISI 304, 30 X 30 X 2,0	M	186,00
CUEV, KVADRATNA, POL, EN 10219-2, AISI 304, 50 X 50 X 1,5	M	517,00
CUEV, KVADRATNA, POL, EN 10219-2, AISI 316/316L, 100 X 100 X 2,0	M	3,00
CUEV, KVADRATNA, POL, EN 10219-2, AISI 316/316L, 15 X 15 X 1,5	M	2,80
CUEV, KVADRATNA, POL, EN 10219-2, AISI 316/316L, 25 X 25 X 1,5	M	198,00
CUEV, KVADRATNA, POL, EN 10219-2, AISI 316/316L, 30 X 30 X 1,5	M	292,00
CUEV, OKRUGLA, AL, EN AW 6060, fi 40 X 2,0	KG	47,31
CUEV, PRAVOKUTNA, BRUŠENA Gr.320, EN 10219-2, AISI 304, 80 X 30 X 2,0	M	3,50
CUEV, PRAVOKUTNA, EN 10219-2, AISI 304, 100 X 40 X 3,0	M	12,00
CUEV, PRAVOKUTNA, EN 10219-2, AISI 304, 150 X 50 X 4,0	M	2,00
CUEV, PRAVOKUTNA, EN 10219-2, AISI 304, 80 X 40 X 3,0	M	6,00
CUEV, PRAVOKUTNA, EN 10219-2, AISI 316/316L, 150 X 50 X 3,0	M	6,00
CUEV, PRAVOKUTNA, EN 10219-2, AISI 316/316L, 30 X 20 X 2,0	M	4,00
CUEV, PRAVOKUTNA, EN 10219-2, AISI 316/316L, 60 X 40 X 2,0	M	18,00
CUEV, PRAVOKUTNA, EN 10219-2, AISI 316/316L, 60 X 40 X 3,0	M	6,00
CUEV, PRAVOKUTNA, EN 10219-2, AISI 316/316L, 80 X 20 X 2,0	M	3,00
CUEV, PRAVOKUTNA, EN 10219-2, AISI 316/316L, 80 X 40 X 2,0	M	9,00
CUEV, PRAVOKUTNA, EN 10219-2, AISI 316/316L, 80 X 60 X 2,0	M	12,00
CUEV, PRAVOKUTNA, EN 10219-2, AISI 316/316L, 80 X 60 X 3,0	M	12,00
CUEV, PRAVOKUTNA, POL, EN 10219-2, AISI 304, 100 X 50 X 2,0	M	6,00
CUEV, PRAVOKUTNA, POL, EN 10219-2, AISI 304, 30 X 20 X 1,5	M	45,00
CUEV, PRAVOKUTNA, POL, EN 10219-2, AISI 304, 40 X 30 X 1,5	M	18,00
CUEV, PRAVOKUTNA, POL, EN 10219-2, AISI 304, 50 X 30 X 1,5	M	20,00
CUEV, PRAVOKUTNA, POL, EN 10219-2, AISI 304, 60 X 40 X 2,0	M	31,80
CUEV, PRAVOKUTNA, POL, EN 10219-2, AISI 316/316L, 40 X 15 X 2,0	M	180,00
CUEV, PRAVOKUTNA, POL, EN 10219-2, AISI 316/316L, 40 X 30 X 1,5	M	217,00
CUEV, PRAVOKUTNA, POL, EN 10219-2, AISI 316/316L, 40 X 30 X 2,0	M	48,00
CUEV, PRAVOKUTNA, POL, EN 10219-2, AISI 316/316L, 50 X 30 X 1,5	M	213,00
CUEV, PRAVOKUTNA, POL, EN 10219-2, AISI 316/316L, 80 X 40 X 2,0	M	92,00
CUEV, STERI, ŠAVNA, DIN 11866-A, H3o, Ra<0,8 µm, AISI 316/316L, fi 53 X 1,5	M	6,00
CUEV, ŠAVNA, BRUŠENA Gr.320, EN 10217-7, AISI 316/316L, fi 25 X 2,0	M	6,00
CUEV, ŠAVNA, EN 10217-7, AISI 304, fi 101,6 X 4,0	M	3,57
CUEV, ŠAVNA, EN 10217-7, AISI 304, fi 108 X 3,0	M	6,00
CUEV, ŠAVNA, EN 10217-7, AISI 304, fi 17,2 X 1,5	M	2,00
CUEV, ŠAVNA, EN 10217-7, AISI 304, fi 18 X 2,0	M	5,00
CUEV, ŠAVNA, EN 10217-7, AISI 304, fi 306 X 3,0	M	2,00
CUEV, ŠAVNA, EN 10217-7, AISI 304, fi 45 X 2,0	M	7,10
CUEV, ŠAVNA, EN 10217-7, AISI 304, fi 57 X 2,0	M	33,50
CUEV, ŠAVNA, EN 10217-7, AISI 304, fi 63,5 X 2,0	M	4,00
CUEV, ŠAVNA, EN 10217-7, AISI 316/316L, fi 114,3 X 4,0	M	2,00
CUEV, ŠAVNA, EN 10217-7, AISI 316/316L, fi 129 X 3,0	M	3,00
CUEV, ŠAVNA, EN 10217-7, AISI 316/316L, fi 154 X 2,0	M	6,00
CUEV, ŠAVNA, EN 10217-7, AISI 316/316L, fi 168,3 X 4,0	M	5,00
CUEV, ŠAVNA, EN 10217-7, AISI 316/316L, fi 21,3 X 1,6	M	444,00
CUEV, ŠAVNA, EN 10217-7, AISI 316/316L, fi 28 X 1,5	M	1,50
CUEV, ŠAVNA, EN 10217-7, AISI 316/316L, fi 32 X 2,0	M	5,00

CUEV, ŠAVNA, EN 10217-7, AISI 316/316L, fi 33,7 X 1,6	M	441,00
CUEV, ŠAVNA, EN 10217-7, AISI 316/316L, fi 48,3 X 1,5	M	266,00
CUEV, ŠAVNA, EN 10217-7, AISI 316/316L, fi 50 X 2,0	M	42,00
CUEV, ŠAVNA, EN 10217-7, AISI 316/316L, fi 84 X 2,0	M	1,10
CUEV, ŠAVNA, EN 10217-7, AISI 316Ti, fi 33,7 X 2,0	M	9,00
CUEV, ŠAVNA, EN 10217-7, AISI 316Ti, fi 38 X 2,0	M	1,50
CUEV, ŠAVNA, EN 10357/SMS, AISI 316/316L, fi 101,6 X 2,0	M	16,50
CUEV, TIG, POL, EN 10296-2, AISI 304, fi 45 X 1,5	M	198,00
CUEV, TIG, POL, EN 10296-2, AISI 316/316L, fi 14 X 1,5	M	228,00
CUEV, TIG, POL, EN 10296-2, AISI 316/316L, fi 18 X 1,5	M	234,00
CUEV, TIG, POL, EN 10296-2, AISI 316/316L, fi 45 X 2,0	M	15,00
CUEV, TIG, POL, EN 10296-2, AISI 316/316L, fi 50 X 1,5	M	168,10
CUEV, TIG, POL, EN 10296-2, AISI 316/316L, fi 60,3 X 1,5	M	294,00
CUEV, TIG, POL, EN 10296-2, AISI 316/316L, fi 60,3 X 2,0	M	107,50
CUEV, TIG/LASER, BRUŠENA Gr.320, EN 10217-7, AISI 304, fi 32 X 1,5	M	7,00
CUEV, TIG/LASER, BRUŠENA Gr.320, EN 10217-7, AISI 304, fi 48,3 X 2,0	M	84,00
CUEV, TIG/LASER, BRUŠENA Gr.320, EN 10217-7, AISI 316/316L, fi 42,4 X 2,0	M	12,00
CUEV, TIG/LASER, POL, EN 10217-7, AISI 304, fi 114,3 X 3,0	M	2,00
CUEV, TIG/LASER, POL, EN 10217-7, AISI 304, fi 16 X 1,0	M	27,00
CUEV, TIG/LASER, POL, EN 10217-7, AISI 304, fi 25 X 2,0	M	39,00
CUEV, TIG/LASER, POL, EN 10217-7, AISI 316/316L, fi 129 X 2,0	M	1,50
CUEV, TIG/LASER, POL, EN 10217-7, AISI 316/316L, fi 48,3 X 1,5	M	44,00
CUEV, TIG/LASER, POL, EN 10217-7, AISI 316/316L, fi 76,1 X 2,0	M	12,50
CUEV, TIG/LASER, POL, EN 10217-7, AISI 316/316L, fi fi 114,3 X 2,0	M	3,04
CUEVNA KAPA, ZAV, EN 10253-4, AISI 304, fi 101,6 X 2,0	KOM	5,00
CUEVNA KAPA, ZAV, EN 10253-4, AISI 304, fi 154 X 2,0	KOM	38,00
CUEVNA OBUJMIKA, JEDNODIJELNA, AISI 304, DIN 11851, DN 40 (fi 40)	KOM	5,00
CUEVNA OBUJMIKA, JEDNODIJELNA, AISI 304, SMS, 2" (fi 51) SA DISTANCEROM fi 12 X 60	KOM	5,00
CUEVNA SPOJNICA, ZAV/V-NAV, AISI 316/316L, ISO 7-1R, 2", L=45 mm	KOM	27,00
CRUEVO FLEXIBILNO, S PLETIVOM, AISI 316L/304, DN 10 (fi 15,5 / fi 10,1)	M	19,00
CRUEVO FLEXIBILNO, S PLETIVOM, AISI 316L/304, DN 32 (fi 42,8 / fi 33,7)	M	15,50
ELEKTRODA VOLFRAM, CRVENA, Th, fi 2,0 X 175	KOM	18,00
ELEKTRODA ZA ZAVARIVANJE, EZ-KROM 30R, AISI 316, fi 2,0	KG	4,40
KAPA GORIONIKA DUGA 57Y02	KOM	7,00
KERAMIČKA SAPNICA 54N15 11,2 MM BR.7	KOM	4,00
KERAMIČKA SAPNICA 54N16 9.8 MM BR.6	KOM	5,00
KERAMIČKA SAPNICA 54N17 7.9 MM BR.5	KOM	5,00
KERAMIČKA SAPNICA 54N18 6.0 MM BR.4	KOM	5,00
KOLJENO, ZAV, 90°, EN 10253-3, AISI 316/316L, fi 156 X 3,0	KOM	5,00
KOLJENO, ZAV, 90°, EN 10253-4, AISI 304, fi 159 X 3,0 r=1D	KOM	4,00
KOLJENO, ZAV, 90°, EN 10253-4, AISI 304, fi 17,2 X 1,5	KOM	10,00
KOLJENO, ZAV, 90°, EN 10253-4, AISI 316/316L, fi 323,9 X 3,0	KOM	2,00
KOLJENO, ZAV, 90°, EN 10253-4, AISI 316/316L, fi 42,4 X 3,2	KOM	23,00
KOLJENO, ZAV, 90°, POL, AISI 304, fi 16 X 1,5	KOM	20,00
KOLJENO, ZAV, 90°, POL, AISI 304, fi 18 X 1,5	KOM	31,00
KOLJENO, ZAV, 90°, POL, AISI 304, fi 22 X 1,5	KOM	36,00
KOLJENO, ZAV, 90°, POL, AISI 304, fi 50 X 2,0	KOM	44,00
KOLJENO, ZAV, 90°, POL, AISI 304, fi 60,3 X 1,5	KOM	6,00
KOLJENO, ZAV, 90°, POL, AISI 316/316L, fi 22 X 1,5	KOM	14,00
KOLJENO, ZAV, 90°, POL, AISI 316/316L, fi 30 X 1,5	KOM	57,00
KOLJENO, ZAV, 90°, POL, AISI 316/316L, fi 60,3 X 1,5	KOM	17,00
KOLJENO, ZAV, BEŠAVNO, 90°, ASME B16.9, AISI 316/316L, 5" SCH 10S, fi 141,3 X 3,40 L.R.	KOM	2,00
KOLJENO, ZAV, PRODUŽENO, 90°, DIN 11852, SAT, AISI 316/316L, fi 19 X 1,5	KOM	2,00
KOLJENO, ZAV, PRODUŽENO, 90°, DIN 11852, SAT, AISI 316/316L, fi 22 X 1,5	KOM	2,00
KOLJENO, ZAV, PRODUŽENO, 90°, DIN 11852, SAT, AISI 316/316L, fi 28 X 1,5	KOM	2,00
KONTAKT PROVODNICA M6-06-0.8	KOM	14,00
KUGLASTI VENTIL, ZAV, TRODIJELNI, -20°C/+180°C, AISI 316/316L, PN 25 DN 80 (fi 88,9)	KOM	2,00
KUGLASTI VENTIL, ZAV, TRODIJELNI, AISI 316/316L, PN 63 DN 15 (fi 21,3)	KOM	7,00
KUTNI PROFIL, EN 10056-1, AISI 316/316L, 25 X 25 X 3,0 L=6,0-6,1 m	KG	13,68
KVADRATNI PROFIL, VALJANI, AISI 304, 25 X 25	KG	186,60
KVADRATNI PROFIL, VUČENI, h11, AISI 304, 30 X 30 L=3,0-3,1 m	KG	14,40
KVADRATNI PROFIL, VUČENI, h11, AISI 316/316L, 12 X 12 L=3,0-3,1 m	KG	7,02
KVADRATNI PROFIL, VUČENI, h11, AISI 316/316L, 15 X 15 L=3,0-3,1 m	KG	10,92
LEPTIR VENTIL, WAFER, -20°C/+110°C, AISI 316/316L/EPDM, PN 10/16 DN 50	KOM	2,00
LEPTIR VENTIL, ZAV, AISI 304, SMS, 2" (fi 51)	KOM	4,00
LEPTIR VENTIL, ZAV, AISI 316L, SMS, 2" (fi 51)	KOM	3,00
LEPTIR VENTIL, ZAV/V NAV, AISI 316/316L, SMS, 1" (fi 25)	KOM	3,00
LEPTIR VENTIL, ZAV/V NAV, AISI 316L, SMS, 1"1/2 (fi 38)	KOM	2,00
LIM, 2B, AISI 316/316L, 1000 X 2000 X 0,8	KG	25,60
LIM, 2B, AISI 321, 1000 X 2000 X 1,5	KG	24,00
LIM, BA+PVC, AISI 316/316L, 1000 X 2000 X 0,5	KG	56,00
LIM, BA+PVC, AISI 430, 1000 X 2000 X 0,8	KG	204,80
LIM, DEKORATIVNI, BA LINEN, AISI 430, 1250 X 2500 X 1,5	KG	525,00
LIM, DEKORATIVNI, LINEN, AISI 430, 1250 X 2500 X 0,7	KG	18,10

LIM, PERF, AISI 304, 1000 X 2000 X 3,0 / fi 8,0, T=12,0	KOM	2,00
LIM, PERF, AISI 316/316L, 1000 X 2000 X 3,0 / fi 6,0, T=9,0	KOM	2,00
LIM, Sc.Br+PVC, AISI 316/316L, 1500 X 3000 X 1,0	KG	144,00
LIM, Sc.Br+PVC, AISI 441, 1000 X 2000 X 0,8	KG	25,60
NASTAVAK ZA CRIJEVO, V-NAV, AISI 316/316L, ISO 7-1R, ISO 7-1R, 3/4" / fi 19	KOM	3,00
NOGICA, KVADRATNA, NIVELIRAJUĆA, CRNA, PVC/AISI 304, 40 X 40, H=95 mm	KOM	189,00
NOGICA, KVADRATNA, NIVELIRAJUĆA, SIVA, PVC/AISI 304, 40 X 40, H=60 mm	KOM	250,00
OBUJMICA ZA CRIJEVO, DIN 3017, A4, fi 100-120 mm, h=12 mm	KOM	6,00
OBUJMICA ZA CRIJEVO, DIN 3017, A4, fi 120-140 mm, h=12 mm	KOM	20,00
OBUJMICA ZA CRIJEVO, DIN 3017, A4, fi 25-40 mm, h=12 mm	KOM	52,00
OBUJMICA ZA CRIJEVO, DIN 3017, A4, fi 50-70 mm, h=12 mm	KOM	36,00
OBUJMICA ZA CRIJEVO, DIN 3017, A4, fi 80-100 mm, h=12 mm	KOM	48,00
OBUJMICA ZA CRIJEVO, DIN 3017, A4, fi 8-16 mm, h=9 mm	KOM	117,00
OKRUGLI PROFIL, VALJANI, k12/k13, AISI 304, fi 80	KG	46,50
OKRUGLI PROFIL, VALJANI, k12/k13, AISI 316/316L, fi 25	KG	47,64
OKRUGLI PROFIL, VALJANI, k12/k13, AISI 431, fi 110	KG	127,04
OKRUGLI PROFIL, VALJANI, k12/k13, AISI 431, fi 125	KG	118,63
OKRUGLI PROFIL, VUČENI, h8, AISI 316/316L, fi 25 L=3,0-3,1 m	KG	11,91
OKRUGLI PROFIL, VUČENI, h8, AISI 316/316L, fi 80 L=3,0-3,1 m	KG	244,44
OKRUGLI PROFIL, VUČENI, h8, AISI 630, fi 40 L=6,0-6,1 m	KG	122,22
OKRUGLI PROFIL, VUČENI, h9, AISI 304, fi 22 L=3,0-3,1 m	KG	555,42
OKRUGLI PROFIL, VUČENI, h9, AISI 304, fi 25 L=6,0-6,1 m	KG	850,50
OKRUGLI PROFIL, VUČENI, h9, AISI 304, fi 45 L=6,0-6,1 m	KG	1.239,24
OKRUGLI PROFIL, VUČENI, h9, AISI 316/316L, fi 20 L=6,0-6,1 m	KG	899,16
OKRUGLI PROFIL, VUČENI, h9, AISI 316/316L, fi 36 L=3,0-3,1 m	KG	49,38
OKRUGLI PROFIL, VUČENI, h9, AISI 316Ti, fi 10 L=3,0-3,1 m	KG	19,20
PLOSNATI PROFIL, REZANI, AISI 304, 120 X 5,0 L=4,0-4,1 m	KG	19,40
PLOSNATI PROFIL, REZANI, AISI 304, 25 X 3,0 L=4,0-4,1 m	KG	48,80
PLOSNATI PROFIL, REZANI, AISI 304, 25 X 4,0 L=4,0-4,1 m	KG	38,88
PLOSNATI PROFIL, REZANI, AISI 304, 25 X 5,0 L=4,0-4,1 m	KG	121,20
PLOSNATI PROFIL, REZANI, AISI 304, 60 X 5,0 L=4,0-4,1 m	KG	592,92
PLOSNATI PROFIL, REZANI, AISI 316/316L, 15 X 3,0 L=4,0-4,1 m	KG	4,44
PLOSNATI PROFIL, REZANI, AISI 316/316L, 150 X 5,0 L=4,0-4,1 m	KG	48,48
PLOSNATI PROFIL, REZANI, AISI 316/316L, 25 X 4,0 L=4,0-4,1 m	KG	3,24
PLOSNATI PROFIL, REZANI, AISI 316/316L, 25 X 5,0 L=4,0-4,1 m	KG	20,20
PLOSNATI PROFIL, REZANI, AISI 316/316L, 30 X 5,0 L=4,0-4,1 m	KG	43,92
PLOSNATI PROFIL, REZANI, AISI 316/316L, 30 X 6,0 L=4,0-4,1 m	KG	23,36
PLOSNATI PROFIL, REZANI, AISI 316/316L, 35 X 3,0 L=4,0-4,1 m	KG	30,60
PLOSNATI PROFIL, REZANI, AISI 316/316L, 40 X 3,0 L=4,0-4,1 m	KG	15,52
PLOSNATI PROFIL, REZANI, AISI 316/316L, 50 X 4,0 L=4,0-4,1 m	KG	12,96
PLOSNATI PROFIL, REZANI, AISI 316/316L, 50 X 6,0 L=4,0-4,1 m	KG	19,44
PLOSNATI PROFIL, REZANI, AISI 316/316L, 60 X 8,0 L=4,0-4,1 m	KG	139,68
PLOSNATI PROFIL, VALJANI, AISI 304, 25 X 20,0	KG	15,70
PLOSNATI PROFIL, VALJANI, AISI 304, 50 X 12,0	KG	15,06
PLOSNATI PROFIL, VALJANI, AISI 304, 90 X 15,0	KG	261,84
PLOSNATI PROFIL, VALJANI, AISI 316/316L, 35 X 15,0	KG	97,50
PLOSNATI PROFIL, VUČENI, h11, AISI 304, 40 X 3,0 L=3,0-3,1 m	KG	8,73
PLOSNATI PROFIL, VUČENI, h11, AISI 304, 50 X 10,0 L=3,0-3,1 m	KG	43,80
PLOSNATI PROFIL, VUČENI, h11, AISI 304, 60 X 25,0 L=3,0-3,1 m	KG	160,68
PORUB, AISI 304, EN 1092 1, TIP 37, PN 16 DN 32 (fi 42,4 X 2,0, H=12,0 mm)	KOM	16,00
PRIRUBNICA, PREŠANA, AISI 316/316L, DIN 2642 ISO, PN 10 DN 65	KOM	2,00
PRIRUBNICA, RAVNA, EN 1092-1 01A, AISI 316/316L, PN 10 DN 500	KOM	3,00
PRIRUBNICA, RAVNA, EN 1092-1 01A, AISI 316/316L, PN 6 DN 80	KOM	2,00
PRIRUBNICA, RAVNA, EN 1092-1 01B, AISI 304, PN 16 DN 200	KOM	2,00
PRIRUBNICA, SLIJEPA, EN 1092-1 05A, AISI 304, PN 16 DN 500	KOM	2,00
REDUKCIJA, KONC, ZAV, ASME B16.9, AISI 316/316L, 1"1/2x1" SCH 10S, fi 48,3 X 2,77 > 33,4 X 2,77	KOM	2,00
REDUKCIJA, KONC, ZAV, ASME B16.9, AISI 316/316L, 1"1/2x1"1/4 SCH 10S, fi 48,3 X 2,77 > 42,2 X 2,77	KOM	6,00
REDUKCIJA, KONC, ZAV, BEŠAVNA, ASME B16.9, AISI 304, 1"x3/4" SCH 10S, fi 33,4 X 2,77 > 26,7 X 2,11	KOM	2,00
REDUKCIJA, KONC, ZAV, BEŠAVNA, ASME B16.9, AISI 304, 3/4"x1/2" SCH 10S, fi 26,7 X 2,11 > 21,3 X 2,11	KOM	4,00
REDUKCIJA, KONC, ZAV, BEŠAVNA, ASME B16.9, AISI 316/316L, 1"x3/4" SCH 80S, fi 33,4 X 4,55 > 26,7 X 3,91	KOM	3,00
REDUKCIJA, KONC, ZAV, DIN 11852, POL, AISI 316/316L, fi 28>22 X 1,5	KOM	5,00
REDUKCIJA, KONC, ZAV, DIN 11852, SAT, AISI 316/316L, fi 104>85 X 2,0	KOM	11,00
REDUKCIJA, KONC, ZAV, EN 10253-3, AISI 304, fi 48,3>21,3 X 3,0	KOM	4,00
REDUKCIJA, KONC, ZAV, EN 10253-3, AISI 304, fi 60,3>42,4 X 3,0	KOM	3,00
REDUKCIJA, KONC, ZAV, EN 10253-3, AISI 304, fi 88,9>48,3 X 2,0	KOM	2,00
REDUKCIJA, KONC, ZAV, EN 10253-4, AISI 304, fi 114,3>76,1 X 3,0	KOM	6,00
REDUKCIJA, KONC, ZAV, EN 10253-4, AISI 316/316L, fi 139,7>88,9 X 3,0	KOM	2,00
REDUKCIJA, KONC, ZAV, EN 10253-4, AISI 316/316L, fi 21,3>17,2 X 2,0	KOM	2,00
REDUKCIJA, KONC, ZAV, EN 10253-4, AISI 316/316L, fi 26,9>21,3 X 2,0	KOM	4,00
REDUKCIJA, KONC, ZAV, PRODUŽENA, SMS, SAT, AISI 316/316L, fi 38>25 X 1,5	KOM	10,00
REDUKCIJA, KONC, ZAV, SMS, SAT, AISI 316/316L, fi 51>38 X 1,5	KOM	10,00
REDUKCIJA, U/U-NAV, AISI 316/316L, ISO 228-1G, 1">1/2"	KOM	18,00
REDUKCIJA, U/U-NAV, AISI 316/316L, ISO 228-1G, 1"1/4>1/2"	KOM	5,00
REDUKCIJA, U/U-NAV, AISI 316/316L, ISO 228-1G, 1/4">1/8"	KOM	20,00

REDUKCIJA, V/U-NAV, AISI 316/316L, ISO 7-1R/ISO 228-1G, 1"1/2>1/2"	KOM	8,00
REDUKCIJA, V/U-NAV, AISI 316/316L, ISO 7-1R/ISO 228-1G, 3/4">3/8"	KOM	8,00
REDUKCIJA, V/V-NAV, AISI 316/316L, ISO 7-1R, 1">3/8"	KOM	17,00
RUČKA LEPTIR VENTILA, AISI 304, DN 80 DN 100	KOM	2,00
SEGMENT LIMA, 2B, AISI 316/316L, fi 260 / fi 98 X 5,0	KOM	20,15
SEGMENT LIMA, F1, AISI 304, 180 X 120 X 6,0	KOM	12,00
SEGMENT LIMA, F1, AISI 304, 180 X 130 X 6,0	KOM	8,00
SEGMENT LIMA, F1, AISI 304, 180 X 180 X 6,0	KOM	4,00
SEGMENT LIMA, F1, AISI 304, 190 X 60 X 6,0	KOM	9,00
SEGMENT LIMA, F1, AISI 304, 195 X 115 X 6,0	KOM	8,00
SEGMENT LIMA, F1, AISI 304, 205 X 190 X 6,0	KOM	4,00
SEGMENT LIMA, F1, AISI 304, fi 300 X 3,0	KOM	7,00
SEGMENT LIMA, F1, AISI 316/316L, fi 165 X 25,0	KOM	16,00
SEGMENT OGRADE, CILINDRIČNI PROLAZ, POLIRAN, AISI 316/316L, fi 50/40	KOM	9,00
SEGMENT OGRADE, CILINDRIČNI PROLAZ, POLIRAN, AISI 316/316L, fi 60/50	KOM	9,00
SEGMENT OGRADE, ČEP LIMENI, POLIRANI, AISI 304, fi 40 X 1,5	KOM	73,00
SEGMENT OGRADE, ČEP TOKARENI, POLIRANI, AISI 316/316L, fi 30 X 1,5	KOM	42,00
SEGMENT OGRADE, ČEP TOKARENI, POLIRANI, AISI 316/316L, fi 40 X 2,0	KOM	17,00
SEGMENT OGRADE, ČEP TOKARENI, POLIRANI, AISI 316/316L, fi 50 X 2,0	KOM	10,00
SEGMENT OGRADE, ČEP, LIMENI, POLIRANI, AISI 316/316L, fi 42,4 X 1,5	KOM	4,00
SEGMENT OGRADE, ČEP, POLIRANI, AISI 316/316L, fi 12 X 1,5	KOM	50,00
SEGMENT OGRADE, ČEP, POLIRANI, AISI 316/316L, fi 18 X 1,5	KOM	14,00
SEGMENT OGRADE, ČEP, POLIRANI, AISI 316/316L, fi 22 X 1,5	KOM	28,00
SEGMENT OGRADE, ČEP, POLIRANI, AISI 316/316L, fi 25 X 1,5	KOM	44,00
SEGMENT OGRADE, ČEP, POLIRANI, AISI 316/316L, fi 40 X 1,5	KOM	73,00
SEGMENT OGRADE, KALOTA, AISI 316/316L, fi 18 X 1,5	KOM	31,00
SEGMENT OGRADE, KALOTA, AISI 316/316L, fi 22 X 1,5	KOM	36,00
SEGMENT OGRADE, KALOTA, AISI 316/316L, fi 42,4 / fi 8 X 1,5	KOM	24,00
SEGMENT OGRADE, KALOTA, AISI 316/316L, fi 45 X 1,5	KOM	79,00
SEGMENT OGRADE, KALOTA, AISI 316/316L, fi 50 / fi 8 X 1,5	KOM	23,00
SEGMENT OGRADE, KALOTA, AISI 316/316L, fi 70 X 1,5	KOM	3,00
SEGMENT OGRADE, KALOTA, AISI 316/316L, fi 76 X 1,5	KOM	6,00
SEGMENT OGRADE, KALOTA, AISI 316/316L, fi 88,9 X 1,5	KOM	12,00
SEGMENT OGRADE, KUGLA PROLAZNA, POLIRANA, AISI 316/316L, fi 25/14	KOM	86,00
SEGMENT OGRADE, KUGLA PROLAZNA, POLIRANA, AISI 316/316L, fi 25/16	KOM	66,00
SEGMENT OGRADE, KUGLA PROLAZNA, POLIRANA, AISI 316/316L, fi 27/18	KOM	46,00
SEGMENT OGRADE, KUGLA PROLAZNA, POLIRANA, AISI 316/316L, fi 50/40	KOM	13,00
SEGMENT OGRADE, KUGLA PROLAZNA, POLIRANA, AISI 316/316L, fi 50/42,4	KOM	4,00
SEGMENT OGRADE, KUGLA ZAVRŠNA, BRUŠENA, AISI 304, fi 64 / fi 48,3	KOM	23,00
SEGMENT OGRADE, KUGLA ZAVRŠNA, BRUŠENA, AISI 316/316L, fi 20 / fi 12	KOM	2,00
SEGMENT OGRADE, KUGLA ZAVRŠNA, POLIRANA, AISI 304, fi 30/20	KOM	3,00
SEGMENT OGRADE, KUGLA ZAVRŠNA, POLIRANA, AISI 316/316L, fi 22/14	KOM	57,00
SEGMENT OGRADE, KUGLA ZAVRŠNA, POLIRANA, AISI 316/316L, fi 25/16	KOM	3,00
SEGMENT OGRADE, KUGLA ZAVRŠNA, POLIRANA, AISI 316/316L, fi 27/20	KOM	66,00
SEGMENT OGRADE, KUGLA ZAVRŠNA, POLIRANA, AISI 316/316L, fi 30/22	KOM	28,00
SEGMENT OGRADE, KUGLA ZAVRŠNA, POLIRANA, AISI 316/316L, fi 30/25	KOM	25,00
SEGMENT OGRADE, KUGLA ZAVRŠNA, POLIRANA, AISI 316/316L, fi 50/35	KOM	2,00
SEGMENT OGRADE, KUGLA ZAVRŠNA, POLIRANA, AISI 316/316L, fi 50/42,4	KOM	6,00
SEGMENT OGRADE, KUGLA ZAVRŠNA, POLIRANA, AISI 316/316L, fi 60/42	KOM	9,00
SEGMENT OGRADE, KUGLA ZAVRŠNA, POLIRANA, AISI 316/316L, fi 60/50	KOM	11,00
SEGMENT OGRADE, NOSAČ ISPUNE, BRUŠENI, AISI 316/316L, ZA CIJEV fi 40 / fi 16	KOM	12,00
SEGMENT OGRADE, NOSAČ ZA STAKLO 54x40, POLIRANI, AISI 316/316L, ZA OBLJENI PRIHVAT, ZA CIJEV fi 40-42,4	KOM	202,00
SEGMENT OGRADE, NOSAČ ZA STAKLO PROLAZNI, POLIRANI, AISI 316/316L, ZA OBLJENI PRIHVAT, ZA CIJEV fi 40-42,4, 8-10mm STAKLO	KOM	228,00
SEGMENT OGRADE, PLOČICA, MAT, AISI 304, 120 X 100 X 5,0 / 4 X fi 9	KOM	9,00
SEGMENT OGRADE, PLOČICA, MAT, AISI 304, 85 X 80 X 4,0 / 4 X fi 9	KOM	32,00
SEGMENT OGRADE, PLOČICA, MAT, AISI 316/316L, fi 85/40 X 5,0	KOM	16,00
SEGMENT OGRADE, PLOČICA, MAT, AISI 316/316L, fi 85/42 X 5,0 / 3 X fi 9	KOM	179,00
SEGMENT OGRADE, PLOČICA, MAT, AISI 316/316L, fi 85/50 X 5,0 / 3 X fi 9	KOM	137,00
SEGMENT OGRADE, PLOČICA, POLIRANA, AISI 316/316L, fi 105/50 X 5,0 / 3 X fi 9	KOM	6,00
SEGMENT OGRADE, ROZETA RAVNA, BA, AISI 304, fi 83 / fi 40,5	KOM	9,00
SEGMENT OGRADE, ROZETA, BA, AISI 304, fi 105 / fi 40	KOM	2,00
SEGMENT OGRADE, ROZETA, BA, AISI 304, fi 115 / fi 50	KOM	5,00
SEGMENT OGRADE, ROZETA, BA, AISI 304, fi 118 / fi 50	KOM	4,00
SEGMENT OGRADE, ROZETA, BA, AISI 304, fi 90 / fi 50 X 1,0	KOM	46,00
SEGMENT OGRADE, ROZETA, KVADRATNA, POLIRANA, AISI 316/316L, 95 x 95, ZA CIJEV 30 x 30	KOM	43,00
SEGMENT OGRADE, ROZETA, KVADRATNA, POLIRANA, AISI 316/316L, 95 x 95, ZA CIJEV 40 x 20	KOM	5,00
SEGMENT OGRADE, ROZETA, KVADRATNA, POLIRANA, AISI 316/316L, 95 x 95, ZA CIJEV 40 x 30	KOM	50,00
SEGMENT OGRADE, ROZETA, KVADRATNA, POLIRANA, AISI 316/316L, 95 x 95, ZA CIJEV 50 x 50	KOM	38,00
SEGMENT OGRADE, ROZETA, POLIRANA, AISI 304, fi 100 / fi 50	KOM	9,00
SEGMENT OGRADE, ROZETA, POLIRANA, AISI 304, fi 90 / fi 40 X 1,5	KOM	25,00
SEGMENT OGRADE, ROZETA, POLIRANA, AISI 316/316L, fi 100 / fi 42,4	KOM	8,00
SEGMENT OGRADE, ROZETA, POLIRANA, AISI 316/316L, fi 68 / fi 20	KOM	43,00
SEGMENT OGRADE, ROZETA, POLIRANA, AISI 316/316L, fi 75 / fi 22	KOM	43,00
SEGMENT OGRADE, ROZETA, POLIRANA, AISI 316/316L, fi 75 / fi 25	KOM	25,00

SEGMENT OGRADE, ROZETA, POLIRANA, AISI 316/316L, fi 90 / fi 35	KOM	11,00
SEGMENT OGRADE, ROZETA, POLIRANA, AISI 316/316L, fi 90 / fi 42,4	KOM	2,00
SEGMENT OGRADE, ROZETA, POLIRANA, AISI 316/316L, fi 90 / fi 50	KOM	44,00
SEGMENT OGRADE, ROZETA, VISOKA, POLIRANA, AISI 316/316L, fi 105 / fi 40	KOM	19,00
SEGMENT OGRADE, SPOJNICA RUKOHVATA, POLIRANA, AISI 316/316L, ZA CIJEV fi 42,4	KOM	8,00
SUDOPER, PRAVOKUTNI, DESNI, AISI 304, 600 X 500 X 320	KOM	6,00
SUDOPER, PRAVOKUTNI, LIJEVI, AISI 304, 600 X 500 X 320	KOM	3,00
SVRDLO ZA BETON, fi 10 X 100/165	KOM	18,00
SVRDLO ZA BETON, fi 10 X 150/215	KOM	7,00
SVRDLO ZA BETON, fi 10 X 50/115	KOM	7,00
SVRDLO ZA BETON, fi 6 X 100/165	KOM	21,00
SVRDLO ZA BETON, fi 6 X 150/215	KOM	6,00
SVRDLO ZA BETON, fi 6 X 50/115	KOM	11,00
SVRDLO ZA BETON, fi 8 X 100/165	KOM	20,00
SVRDLO ZA BETON, fi 8 X 150/215	KOM	4,00
SVRDLO ZA BETON, fi 8 X 50/115	KOM	6,00
SVRDLO ZA METAL, HSS, COBALT, fi 10,0 x 87/133	KOM	4,00
SVRDLO ZA METAL, HSS, COBALT, fi 2,0 x 24/49 (2 kom)	KOM	24,00
SVRDLO ZA METAL, HSS, COBALT, fi 5,0 mm	KOM	15,00
T KOMAD, SOCKET-WELD, ASME B16.11, AISI 304, 3000lbs, 3/4"	KOM	13,00
T KOMAD, ZAV, BEŠAVNI, ASME B16.9, AISI 304, 4" SCH 10S, fi 114,3 X 3,05	KOM	3,00
T KOMAD, ZAV, DUGAČKI, SMS, SAT, AISI 316/316L, fi 51 X 1,5	KOM	8,00
T KOMAD, ZAV, DUGI, EN 10253-4, AISI 304, fi 48,3 X 3,0	KOM	7,00
T KOMAD, ZAV, DUGI, EN 10253-4, AISI 316/316L, fi 21,3 X 2,0	KOM	45,00
T KOMAD, ZAV, DUGI, EN 10253-4, AISI 316/316L, fi 33,7 X 3,0	KOM	9,00
T KOMAD, ZAV, EN 10253-4, AISI 316/316L, fi 17,2 X 1,6	KOM	2,00
T KOMAD, ZAV, EN 10253-4, AISI 316/316L, fi 21,3 X 1,6	KOM	2,00
T KOMAD, ZAV, KRATKI, EN 10253-3, AISI 304, fi 60,3 X 3,0	KOM	2,00
T KOMAD, ZAV, KRATKI, EN 10253-4, AISI 316/316L, fi 76,1 X 2,0	KOM	4,00
T KOMAD, ZAV, RED, BEŠAVNI, ASME B16.9, AISI 304, 1"x3/4" SCH 10S, fi 33,4 X 2,77 > 26,7 X 2,11	KOM	5,00
T KOMAD, ZAV, RED, EN 10253-4, AISI 316/316L, fi 48,3>21,3 X 3,0	KOM	11,00
T KOMAD, ZAV, RED, EN 10253-4, AISI 316Ti, fi 60,3>33,7 X 2,0	KOM	2,00
T KOMAD, ZAV, RED, KRATKI, DIN 11852, MAT, AISI 304, fi 29>19 X 1,5	KOM	3,00
TEKUĆINA ZA ČIŠĆENJE INOX-a, INNOSPRAY B600, 500ml	KOM	24,00
TOMAX KOPČA SA PODLOŠKOM W+T, NIKLANO	KOM	100,00
ZAKLOPKA LEPTIR VENTILA, AISI 304, DN 80	KOM	18,00
ZAPORNI VENTIL, PRI, GGG40.3/AISI 420, DIN 3202 F1, PN 25 DN 25	KOM	6,00
ZAPORNI VENTIL, PRI, GGG40.3/AISI 420, DIN 3202 F1, PN 25 DN 50	KOM	2,00
ZASUN, U-NAV, AISI 316/316L, ISO 228-1G, 2"1/2	KOM	4,00